EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	714/747.ccls. and ((TAP test near access near port) with (switch select$3 multiplex$3) near4 bit)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/26 13:07
S1	1187	(TAP test near access near port) with (switch select$3 multiplex$3) near10 bit	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/17 17:29
S2	26551	(group plurality multiple two many) near10 (TAP test near access near port)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/17 17:35
S3	172	select$3 with bit$1 with (group plurality multiple two many) near10 (TAP test near access near port)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/17 17:36
S4	149	S3 and S1	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/17 17:37
S5	130	S4 and (@pd< "20031215" or @ad< "20031215" or @prad< "20031215" or @rlad< "20031215")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/17 17:40
S6	6	S5 and (reset$4 with bit$1 with (TAP test near access near port))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/17 17:44
S7	12	S5 and "714"/$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/17 17:54
S8	778	(TAP test near access near port) with (switch select$3 multiplex$3) near4 bit	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/17 18:05
S9	96	S8 and "714"/$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/17 18:06
S10	56	S2 and S9	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/17 18:06
S11	51	S10 and (@pd< "20031215" or @ad< "20031215" or @prad< "20031215" or @rlad< "20031215")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/17 18:06
S13	26551	(group plurality multiple two many) near10 (TAP test near access near port)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/18 15:49

S14	778	(TAP test near access near port) with (switch select$3 multiplex$3) near4 bit	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/18 15:49
S15	96	S14 and "714"/$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/18 15:49
S16	56	S13 and S15	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/18 15:49
S17	51	S16 and (@pd< "20031215" or @ad< "20031215" or @prad< "20031215" or @rlad< "20031215")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/18 15:49
S18	51	S17 and "714"/$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/18 15:49
S19	256	(plurality multiple two many) with (TAP test near access near port) near14 bit near6 register	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/18 16:30
S20	59	S19 and (test$3 diagno$7). clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/18 16:31
S21	51	S20 and (@pd< "20031215" or @ad< "20031215" or @prad< "20031215" or @rlad< "20031215")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/18 16:32
S22	1119	(plurality multiple two many) with (TAP test near access near port) near14 bit	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/18 16:49
S23	156	S22 and (test$3 diagno$7). clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/18 16:50
S24	135	S23 and (@pd< "20031215" or @ad< "20031215" or @prad< "20031215" or @rlad< "20031215")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/18 16:50
S25	84	S24 and (NOT S21)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/18 16:51
S26	0	(mode select$3) near10 pin with (plurality multiple two many) with (TAP test near access near port) near14 bit near6 register	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/19 09:45
S27	48	(mode select$3) near10 pin with (plurality multiple two many) with (TAP test near access near port)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/19 09:46

S28	39	S27 and (@pd< "20031215" or @ad< "20031215" or @prad< "20031215" or @rlad< "20031215")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/19 09:47
S29	23	(switch$3) near10 pin with (plurality multiple two many) with (TAP test near access near port)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/19 10:12
S30	22	S29 and (@pd< "20031215" or @ad< "20031215" or @prad< "20031215" or @rlad< "20031215")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/19 10:13
S32	291	(switch$3 select$3) near10 pin near14 (TAP test near access near port)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/19 10:18
S33	190	S32 and ((plurality multiple two many) with (TAP test near access near port))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/19 10:19
S34	107	S33 and "714"/$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/19 10:19
S35	20886	(switch$3 select$3) near14 (TAP test near access near port)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/19 10:40
S36	1281	(TAP test near access near port) with (switch select$3) near8 register	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/19 10:52
S37	792	S36 and ((plurality multiple two many) with (TAP test near access near port))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/19 10:56
S38	263	S37 and "714"/$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/19 10:58
S39	38	S28 and ((switch$3 select$3) with (TAP test near access near port))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/19 10:59
S40	38	S39 and (@pd< "20031215" or @ad< "20031215" or @prad< "20031215" or @rlad< "20031215")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/19 10:59
S41	11179	(KONINKLIJKE near PHILIPS near ELECTRONICS).as.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/19 13:04
S42	1062	(TAP test near access near port) with (single one) near4 bit	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/19 13:13
S43	797	S42 and ((plurality multiple two many) with (TAP test near access near port))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/19 13:14

S44	631	S43 and (@pd< "20031215" or @ad< "20031215" or @prad< "20031215" or @rlad< "20031215")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/19 13:14
S45	77	S44 and "714"/$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/19 13:15
S46	4	(test near access with controller) with (add$3 includ $3 compris$3) with (single one) near bit	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/19 14:04
S47	4	S46 and (@pd< "20031215" or @ad< "20031215" or @prad< "20031215" or @rlad< "20031215")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/19 14:05
S48	3	(plurality multiple two many) with JTAG with (single one) near bit near6 (register storage)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/19 14:13
S49	30073	(plurality multiple two many) with (TAP test near access near port)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/19 14:20
S50	163	S49 and (internal$2 near10 generat$3 near10 signal with (switch$3 select$3 elect$3 pick$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/19 14:23
S51	142	S50 and (@pd< "20031215" or @ad< "20031215" or @prad< "20031215" or @rlad< "20031215")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/19 14:25
S52	88	S51 and ((switch$3 select$3 elect$3 pick$3) with (TAP test near access near port))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/19 14:30
S55	1	("6381717").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2008/06/20 09:58
S56	1	("7284172").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2008/06/20 10:09
S57	1	"20070101217"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/20 10:33
S58	1	("6,311,302").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2008/06/20 10:38

S59	1	("5,627,842").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2008/06/20 10:39
S60	0	"2002040458"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/20 10:45
S61	0	"20020404580"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/20 10:45
S62	23	(dervisoglu near bulent).in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/20 10:46
S63	21	S62 and (tap controller)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/20 10:46
S64	1	("5,132,635").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2008/06/20 10:47
S65	395	"714"/$.ccls. and ((plurality multiple two many) with (TAP near controller test near access near port))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/20 13:24
S66	272	S65 and ((tap near controller test near access near port) with (select$3 switch$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/20 13:27
S67	233	S66 and (@pd< "20031215" or @ad< "20031215" or @prad< "20031215" or @rlad< "20031215")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/20 13:28
S68	574	((plurality multiple two many) with (TAP near controller test near access near port))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/20 14:13
S69	458	S68 and (@pd< "20031215" or @ad< "20031215" or @prad< "20031215" or @rlad< "20031215")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/20 14:13
S70	1	S69 and (otto near steinbusch).in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/20 14:14
S71	1	S69 and (phillips near electronics).as.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/20 14:15
S72	412	S69 and (integrated near circuit)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/20 14:18

S73	98	(TAP near controller test near access near port) near7 (includ$3 embed$4 contain $3 comprehend$3 compris$3 consist$3 hase compos$3 constituet$3 integrat$3 incorporat$3) near7 (switch select$3 register near bit)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/20 14:36
S74	81	S73 and (@pd< "20031215" or @ad< "20031215" or @prad< "20031215" or @rlad< "20031215")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/20 14:37
S75	1	("7174492").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2008/06/23 10:35
S76	1	"20060248426"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/23 11:14
S77	1	"20040163012"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/23 11:25
S78	1	"20040006729"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/23 11:28
S79	1	("7,111217").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2008/06/23 11:29
S80	1	"20040006729"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/23 11:34

6/26/2008 1:09:41 PM
C:\ Documents and Settings\ gmerant\ My Documents\ EAST\ Workspaces\ 10_539_104_2.wsp